



Valves | Single Check Valves | **Check Valves, Single**

## F0311-300, F0311-250, F0311-200, F0322-300, F0322-250, F0322-200

### Product Description

Model No	Description	Valve Size		Rated Working Pressure		Remarks
		in	(mm)	psi	(kPa)	
F0311-300	Swing Check Valve, Flanged Ends	2, 2 1/2, 3, 4, 5, 6, 8, 10, 12	(50, 65, 80, 100, 125, 150, 200, 250, 300)	300	(2065)	a
F0311-250	Swing Check Valve, Flanged Ends	2, 2 1/2, 3, 4, 5, 6, 8, 10, 12	(50, 65, 80, 100, 125, 150, 200, 250, 300)	250	(1720)	a
F0311-200	Swing Check Valve, Flanged Ends	2, 2 1/2, 3, 4, 5, 6, 8, 10, 12	(50, 65, 80, 100, 125, 150, 200, 250, 300)	200	(1375)	a
F0322-300	Swing Check Valve, Grooved Ends	2, 2 1/2, 3, 4, 5, 6, 8, 10, 12	(50, 65, 80, 100, 125, 150, 200, 250, 300)	300	(2065)	a
F0322-250	Swing Check Valve, Grooved Ends	2, 2 1/2, 3, 4, 5, 6, 8, 10, 12	(50, 65, 80, 100, 125, 150, 200, 250, 300)	250	(1720)	a

# FM Approvals

Model No	Description	Valve Size		Rated Working Pressure		Remarks
		in	(mm)	psi	(kPa)	
F0322-200	Swing Check Valve, Grooved Ends	2, 2 1/2, 3, 4, 5, 6, 8, 10, 12	(50, 65, 80, 100, 125, 150, 200, 250, 300)	200	(1375)	a
F0322-300	Swing Check Valve, Threaded Ends (Female x Female, Male x Male)	2, 2 1/2, 3, 4	(50, 65, 80, 100)	300	(2065)	a
F0322-300	Swing Check Valve, Threaded x Flange Ends (Female x Flange, Male x Flange)	2, 2 1/2, 3, 4	(50, 65, 80, 100)	300	(2065)	a
F0322-300	Swing Check Valve, Threaded x Groove Ends (Female x Groove, Male x Groove)	2, 2 1/2, 3, 4	(50, 65, 80, 100)	300	(2065)	a

### Remarks:

a. Resilient Seat

## Details

<b>Category</b>	Check Valves, Single
<b>Class of Work</b>	1210 - Single Check Valves
<b>Approval Standard</b>	FM 1210 - Swing Check Valves

## Company

Weflo Valve Co., Ltd  
 789 Chunyang Rd, Qingdao Nat'l High-Tech Ind Dev Zone, Qingdao, Shandong 266111, China  
<http://weflovalve.com>

# FM Approvals

<b>Certification Type</b>	FM Approved
<b>Listing Country</b>	China